

Il dott. Marzio Todisco consegue la Laurea in odontoiatria e protesi dentaria presso l'Università degli Studi di Milano nel 1991 con tesi sulla

“Valutazione della morfologia facciale e classificazione dei soggetti con metodo di analisi globale”

Tesi poi oggetto di pubblicazione:

**Cephalometrics and facial shape: New thresholds by an overall approach to classic standards.**

The International journal of adult orthodontics and orthognathic surgery. 6(4):261-9. February 1991. VF Ferrario, C Sforza, A Miani, M Todisco.

Svolge attività clinica privata, ricerca e didattica limitata alla chirurgia implantare, chirurgia rigenerativa ed estetica in protesi.

Le mie ricerche sulle più importanti riviste internazionali:

Implant Dent. 2019 Aug;28(4):388-399

**Statements and Recommendations for Guided Bone Regeneration: Consensus Report of the Guided Bone Regeneration Symposium Held in Bologna, October 15 to 16, 2016.**

Cucchi A<sup>1</sup>, Chierico A<sup>2</sup>, Fontana F<sup>3</sup>, Mazzocco F<sup>4</sup>, Cinquegrana C<sup>5</sup>, Belleggia F<sup>6</sup>, Rossetti P<sup>7</sup>, Soardi CM<sup>8</sup>, Todisco M<sup>9</sup>, Luongo R<sup>10</sup>, Signorini L<sup>11</sup>, Ronda M<sup>12</sup>, Pistilli R<sup>13</sup>.

Int J Oral Implantol (New Malden). 2019;12(1):13-22.

**On the role of keratinised mucosa at dental implants: a 5-year prospective single-cohort study.**

Todisco M, Buti J, Sbricoli L, Esposito M.

Eur J Oral Implantol. 2018;11(4):397-407.

**Do we need abutments at immediately loaded implants supporting cross-arch fixed prostheses? Results from a 5-year randomised controlled trial.**

Todisco M, Sbricoli L, Ippolito DR, Esposito M.

Int J Periodontics Restorative Dent. 2013 Nov-Dec;33(6):795-802.

**A prospective, randomized, controlled, multicenter evaluation of extraction socket preservation comparing two bovine xenografts: clinical and histologic outcomes.**

Barone A, Todisco M, Ludovichetti M, Gualini F, Aggstaller H, Torr es-Lagares D, Rohrer MD, Prasad HS, Kenealy JN.

Clin Implant Dent Relat Res. 2013 Jul 24. doi: 10.1111/cid.12115. [Epub ahead of print]

**Prognosis of Deantigenated Equine Bone Used for Bone Augmentation: A Multicenter Retrospective Study on Early and Late Postsurgical Complications in 81 Consecutive Patients.**

Felice P<sup>1</sup>, Piana L, Jacotti M, Di Lallo S, Todisco M, Foschini MP, Checchi L, Carinci F.

J Craniofac Surg. 2013 May;24(3):860-5. doi: 10.1097/SCS.0b013e31827ca3cf.

**Histologic and biomechanical evaluation of the effects of implant insertion torque on peri-implant bone healing.**

Consolo U<sup>1</sup>, Travaglini D, Todisco M, Trisi P, Galli S.

Int J Oral Maxillofac Implants. 2011 Jul-Aug;26(4):837-49.

**High versus low implant insertion torque: a histologic, histomorphometric, and biomechanical study in the sheep mandible.**

Trisi P<sup>1</sup>, Todisco M, Consolo U, Travaglini D

Eur J Oral Implantol. 2010 Summer;3(2):135-43.

**Effectiveness of prophylactic antibiotics at placement of dental implants: a pragmatic multicentre placebo-controlled randomised clinical trial.**

Esposito M<sup>1</sup>, Cannizzaro G, Bozzoli P, Checchi L, Ferri V, Landriani S, Leone M, Todisco M, Torchio C, Testori T, Galli F, Felice P.

Eur J Oral Implantol. 2010 Spring;3(1):47-58.

**Early loading of implants in vertically augmented bone with non-resorbable membranes and deproteinised anorganic bovine bone. An uncontrolled prospective cohort study.**

Todisco M<sup>1</sup>.

Eur J Oral Implantol. 2008 Spring;1(1):23-31.

**Efficacy of prophylactic antibiotics for dental implants: a multicentre placebo-controlled randomised clinical trial.**

Esposito M<sup>1</sup>, Cannizzaro G, Bozzoli P, Consolo U, Felice P, Ferri V, Landriani S, Leone M, Magliano A, Pellitteri G, Todisco M, Torchio C.

J Oral Implantol. 2006;32(4):153-66.

**Histomorphometric evaluation of six dental implant surfaces after early loading in augmented human sinuses.**

Todisco M<sup>1</sup>, Trisi P.

Int J Oral Maxillofac Implants. 2005 Nov-Dec;20(6):898-904.

**Bone mineral density and bone histomorphometry are statistically related.**

Todisco M<sup>1</sup>, Trisi P.

Int J Periodontics Restorative Dent. 2003 Oct;23(5):427-37.

**Bone-to-implant apposition with machined and MTX microtextured implant surfaces in human sinus grafts.**

Trisi P<sup>1</sup>, Marcato C, Todisco M.

Int J of adult orthodontics and orthognathic surgery. 6(4): 261-269. February 1991

**Cephalometrics and facial shape: New thresholds by an overall approach to classic standards.**

VF Ferrario, C Sforza, A Miani, M Todisco.